

Contents

Contents	vii
List of Figures	xi
List of Tables	xiii
Foreword	xv
I Introductory Concepts	1
1 Introduction	3
1.1 Motivations	4
1.2 Contributions	5
1.3 Structure	9
2 Related Work	11
2.1 Introduction	11
2.2 Agent Theories and Architectures	11
2.2.1 Logic-Based Architectures - <i>Deductive agents</i>	14
2.2.2 Reactive architectures - <i>Reactive agents</i>	14
2.2.3 Layered Architectures - <i>Hybrid agents</i>	16
2.2.4 Practical Reasoning Architectures - <i>BDI agents</i>	17
2.2.5 Rao and Georgeff's BDI model	23
2.2.6 Advantages of BDI models	31
2.3 Multi-context Systems	32
2.3.1 Formalization of multi-context systems	33
2.3.2 Multi-context agents	34
2.3.3 Advantages of the multi-context specification of agents	37
2.4 Logics of preference	38
2.4.1 Bipolar representation of preferences	40
2.5 Graded Attitudes in Intentional Agent Architectures	44
2.5.1 Argumentation-based approaches to BDI agents	47
2.6 Conclusions	53
3 Logical Background	55
3.1 Propositional Dynamic logic	55
3.2 $G_{\Delta}(C)$ and RPL Fuzzy Logics	57

3.2.1	Rational Lukasiewicz Logic	61
II	The Graded BDI Agent Model	63
4	The General Framework	65
4.1	Introduction	65
4.2	Multi-context specification	66
4.3	Logical Framework: Many-valued modal approach	67
5	The Belief Context	73
5.1	Introduction	73
5.2	Belief context logics	74
5.3	The BC_{nec} Logic	76
5.4	The BC_{prob} Logic	80
5.5	Conclusions	83
6	Desire and Intention Contexts	85
6.1	Introduction	85
6.2	Desire Context (DC)	87
6.2.1	DC Language	87
6.2.2	Semantics for DC	88
6.2.3	DC Axioms and Rules	90
6.2.4	Consistency Schemas	94
6.3	Intention Context	98
6.3.1	IC Language	98
6.3.2	Semantics and axiomatization for IC	100
6.4	Conclusions	103
7	Functional contexts and Bridge rules	105
7.1	Planner and Communication Contexts	105
7.2	Bridge Rules	106
7.3	How the g-BDI model works	110
7.4	Example	112
7.5	Comparison with Rahwan and Amgoud's approach	114
8	The Socialization of the g-BDI agents	117
8.1	Introduction	117
8.2	Reasoning about other agent attitudes	117
8.3	Trust in an agent society	119
8.3.1	A Social Context to Filter Information	120
8.3.2	Trust in Delegation	123
8.3.3	Conclusions	127
9	Operational semantics for g-BDI Agents	129
9.1	Introduction	129
9.2	Mobile Ambient Calculus	131
9.3	Multi-context Calculus	133
9.4	Operational Semantics	137

9.5 Mapping a g-BDI Agent to the MCC	139
9.5.1 Mapping the Desire context into a Desire ambient	142
9.6 Conclusions	146
III Methodology and a Case-Study	147
10 Case study domain	149
10.1 Introduction	149
10.2 Recommender Agents	150
10.3 Recommender Systems in Travel and Tourism	153
10.4 Case Study: Recommender System on Argentinian Tourism	155
11 Methodology	159
11.1 Introduction	159
11.2 The Development Process of g-BDI Agent-Based Systems	162
11.3 System Analysis and Design Phase	165
11.3.1 Stage I: System Specification and Analysis	165
11.3.2 Stage II: System Architecture Design	169
11.4 Agent Design Phase	174
11.4.1 Stage III: A graded BDI Agent Design	175
11.4.2 Stage IV: Agent Detailed Design	177
11.5 Conclusions	184
12 Implementation	185
12.1 Introduction	185
12.2 Multiagent development	186
12.3 <i>T-Agent</i> Implementation	187
12.3.1 Communication Context	188
12.3.2 Desire Context	190
12.4 Belief Context	193
12.4.1 Tourist packages	193
12.4.2 Destination ontology	194
12.4.3 Special Relations in the domain	195
12.4.4 Beliefs on desires fulfillment	196
12.5 Planner Context	198
12.6 Intention Context	199
12.6.1 Estimating the expected satisfaction of desires	200
12.6.2 Computing the intention degrees	203
12.7 Conclusions	204
IV Experimentation and Discussions	205
13 Experimentation	207
13.1 Introduction	207
13.2 Validation	208
13.3 Experimentation	212
13.3.1 Sensitive model analysis	212

13.3.2 Graded vs. non-graded model comparison	216
13.4 Data analysis	220
13.5 Conclusions	223
14 Discussion	225
14.1 Contributions of this Thesis	225
14.1.1 Contributions respect to BDI architectures	225
14.1.2 Contributions on related fields	227
14.2 Future work	229
14.3 Related publications	230
Bibliography	233