

Contents

Foreword	xi
Abstract	xiii
1 Introduction	1
1.1 Reusing past experience	1
1.2 A Web of musical data	2
1.3 Listening to music in a group	3
1.4 A social radio experience	4
1.5 Structure of the thesis	4
2 Musical associations from a Web of experiences	7
2.1 The experience Web	7
2.1.1 A repository of personal experiences	8
2.1.2 Collecting music-related experiences	8
2.1.3 The value of playlists	9
2.1.4 From playlists to musical associations	9
2.2 Previous work	10
2.2.1 Co-occurrence analysis	10
2.2.2 Playlists	11
2.2.3 Other Web-based musical experience	11
2.2.4 Other ways to assess musical associations	12
2.3 Co-occurrence analysis of social data	14
2.3.1 Conditional probability	14
2.3.2 Distant co-occurrences	15
2.3.3 Inverse co-occurrences	16
2.3.4 Co-occurrences of songs with artists	16
2.3.5 Co-occurrences among artists	17
2.3.6 The musical association degree	17
2.4 Working on a real data set	18
2.4.1 Initial data set	19
2.4.2 Noise filtering process	20
2.5 Tuning parameters	20
2.5.1 Tuning the distance parameters	21

2.5.2	Tuning the order parameter	21
2.6	The resulting associations	21
2.6.1	Evaluating song associations	22
2.6.2	Evaluating artist association	23
2.6.3	Comparisons with other music similarity measures	23
2.7	Summary	27
3	Individual listening behaviours	29
3.1	Music libraries and listening habits	29
3.2	Previous work	30
3.2.1	Explicit user modelling	30
3.2.2	Implicit user modelling	31
3.2.3	Building user profiles	31
3.3	Gathering listening habits	32
3.4	Estimating individual preferences	34
3.4.1	Usage behaviour normalisation	34
3.4.2	Normalising user rating	35
3.4.3	Combining user ratings and play counts	37
3.4.4	Integrating additional properties	38
3.4.5	Extending to artists	39
3.5	Summary	39
4	The poolcasting technique	41
4.1	Adapting music for a group of listeners	41
4.1.1	Problem Definition	41
4.1.2	The poolcasting approach	42
4.2	Previous work	43
4.2.1	Case-Based Reasoning	43
4.2.2	User-adaptive techniques	44
4.2.3	Recommender techniques	46
4.2.4	Group-adaptive systems	48
4.2.5	Preference aggregation	49
4.3	The Case-Based Reasoning selection process	50
4.3.1	The case bases	51
4.3.2	The retrieve process	53
4.3.3	The reuse process	53
4.3.4	The revise process	54
4.4	The iterated social choice problem	55
4.4.1	Group preference degree	55
4.4.2	Individual satisfaction degree	56
4.4.3	Satisfaction-weighted aggregation without misery	58
4.5	Summary	59

5	Group-customised Web radio	61
5.1	Adapting online radio channels to their audience	61
5.2	Previous work	62
5.2.1	Group-adaptive systems in music	62
5.2.2	Internet radios	64
5.3	The Web interface	65
5.3.1	Sharing personal music libraries	65
5.3.2	Creating radio channels	70
5.3.3	Expressing musical preferences	72
5.3.4	Additional features	72
5.4	Automated music programming	75
5.5	Implementation	77
5.6	Summary	78
6	Experiments and evaluation	79
6.1	Working with a real Web radio	79
6.1.1	The active audience	79
6.1.2	The music pool	79
6.1.3	Listening habits	80
6.1.4	Observations	80
6.2	Variety and smoothness	81
6.2.1	Variety	81
6.2.2	Smoothness	81
6.2.3	Observations	82
6.3	Group customisation and fairness	83
6.3.1	Random music profiles	83
6.3.2	Results	84
6.4	Discordant listeners	85
6.4.1	Results	86
6.4.2	The importance of memory	87
6.5	Concordant listeners	87
6.5.1	Results	88
6.6	Scalability	89
6.6.1	Results	89
6.7	Other parameters	91
6.7.1	Retrieval size	91
6.7.2	Misery	92
6.7.3	Initial satisfaction	93
6.8	Summary	94
7	Conclusions	95
7.1	Summary	95
7.1.1	The goals of poolcasting	95
7.1.2	The CBR process	96
7.1.3	The Web radio application	97
7.1.4	Evaluation	97

7.1.5	Possible applications	98
7.2	Contributions	99
7.2.1	Experiential data from the Web	99
7.2.2	Reinterpretation of CBR	100
7.2.3	Iterated social choice	101
7.2.4	A social radio experience	101
7.3	Future work	102
7.3.1	Generalising poolcasting	103
7.3.2	Improving poolcasting	105
7.4	Related publications	107
A	Top-associated movies	123