

# Table of Contents

## Oral presentations

<b>O.1</b>	<b>On the importance of raw material assessment and selection for low cost eucalypt kraft pulp production</b>	<b>1</b>
	<u>Colodette J.L., Gomes F.J.B.</u>	
<b>O.2</b>	<b>Prediction of real time kraft pulp yield: from science to pulp mill trials</b>	<b>5</b>
	<u>da Silva Perez D., van Heiningen A., Liitiä T., Timonen O., Kovasin K., Bassa A., Petit-Conil M.</u>	
<b>O.3</b>	<b>Effect of raw material and pulping conditions on the properties of dissolved kraft lignin</b>	<b>9</b>
	<u>Sevastyanova O., Dobelev G., Jurkane V., Svärd A., Brännvall E.</u>	
<b>O.4</b>	<b>Effect of prehydrolysis of softwood chips on oxygen delignification and bleaching</b>	<b>13</b>
	<u>Chirat C., Das S., Lachenal D.</u>	
<b>O.5</b>	<b>Formation of hydroxyl radicals during ozone oxidation of unsaturated compounds: consequences for pulp bleaching</b>	<b>17</b>
	<u>Pouyet F., Chirat C., Lachenal D.</u>	
<b>O.6</b>	<b>Advances in catalytic pulp bleaching</b>	<b>21</b>
	<u>Chenna N., Jääskeläinen A.-S., Järnefelt C., Kuitunen S., Vuorinen T.</u>	
<b>O.7</b>	<b>Recombinant soybean peroxidase for biobleaching of eucalyptus pulp</b>	<b>25</b>
	<u>Kalum L., Oestergaard L., Lund H.</u>	
<b>O.8</b>	<b>Towards an optimized deconstruction of lignocellulosic biomass: from cell wall characterization to process modeling</b>	<b>29</b>
	<u>Baumberger S., Berrin J.-G., Aceves-Lara C.A., Athès V., Beaugrand J., Chabbert B., Guillon F., Méchin V., Montanier C., Paës G., Trélea C.</u>	
<b>O.9</b>	<b>Hydrothermolysis of pine: dissolution of wood components at elevated temperatures</b>	<b>33</b>
	<u>Alekhina M., Nieminen K., Ebert A., Heikkilä S., Sixta H.</u>	
<b>O.10</b>	<b>Cellulase substrate binding and the role of carbohydrate-binding modules in hydrolysis in aqueous ionic liquid solutions</b>	<b>37</b>
	<u>Wahlström R., Rahikainen J., Kruus K., Suurnäkki A.</u>	
<b>O.11</b>	<b>Laccase-mediator pretreatment delignifies woody and nonwoody plant feedstocks and improves enzymatic saccharification</b>	<b>41</b>
	<u>Gutiérrez A., Rencoret J., Rico A., Pereira A., del Río J.C., Martínez Á.T.</u>	
<b>O.12</b>	<b>Impact of steam explosion on spruce and wheat straw lignin structures studied by NMR and density functional methods</b>	<b>45</b>
	<u>Heikkilä H., Elder T., Maaheimo H., Rovio S., Rahikainen J., Kruus K., Tamminen T.</u>	
<b>O.13</b>	<b>Effect of lignin chemistry on non-productive enzyme adsorption in the enzymatic hydrolysis of lignocellulose</b>	<b>49</b>
	<u>Rahikainen J., Martin-Sampedro R., Heikkilä H., Rovio S., Marjamaa K., Tamminen T., Rojas O., Kruus K.</u>	
<b>O.14</b>	<b>Redesigning lignin for improved plant cell wall deconstruction – Recent Developments</b>	<b>53</b>
	<u>Ralph J., Lu F., Kim H., Tobimatsu Y., Zhu Y., Rencoret J., Karlen S., Padmakshan D., Liu S., Regner M., Ralph S.A., Grabber J., Hatfield R., Marita J., Boerjan W., Dixon R., Sedbrook J., Wilkerson C., Santoro N., Mansfield S.</u>	

<b>O.15</b>	<b>Lignin structure: a revisit of current paradigms through NMR analysis</b>	<b>59</b>
	<u>Crestini C.</u>	
<b>O.16</b>	<b>Towards optimal methodology to assess molecular structure of native and technical lignins</b>	<b>63</b>
	<u>Balakshin M., Capanema E.A.</u>	
<b>O.17</b>	<b>Structural elucidation of plant cell wall polysaccharides and their derivatives using chromatographic and mass spectrometric techniques</b>	<b>67</b>
	<u>Liu J., Vilaplana F., Xu C., Willför S.</u>	
<b>O.18</b>	<b>Towards thermoplastic lignin polymers; Progress in the utilization of kraft lignin for the synthesis of heat stable polymer melts</b>	<b>71</b>
	<u>Argyropoulos D.S., Sadeghfifar H., Sen S., Cui C., Sun R.</u>	
<b>O.19</b>	<b>Novel chemical modifications of technical lignins for composite and resin applications</b>	<b>75</b>
	<u>Setälä H., Kammiovirta K., Talja R., Rovio S., Liitiä T.</u>	
<b>O.20</b>	<b>Structural characteristics of industrial lignins in respect to their valorization</b>	<b>79</b>
	<u>Liitiä T., Rovio S., Talja R., Tamminen T., Rencoret J., Gutiérrez A., del Río J.C., Saake B., Schwarz K.U., Vila C., Gravitis J., Orlandi M.</u>	
<b>O.21</b>	<b>On the utilization of fatty acid esters of technical lignins in biorefinery applications</b>	<b>83</b>
	<u>Koivu K., Sadeghfifar H., Nousiainen P., Argyropoulos D.S., Sipilä J.</u>	
<b>O.22</b>	<b>Hydrothermal hydrogen-free conversion of lignin in key aromatics</b>	<b>87</b>
	<u>Gosselink R.J.A., van der Klis F., van Haveren J., van Es D.S.</u>	
<b>O.23</b>	<b>Potentiometric chemical sensors from lignin-derived nanocomposites</b>	<b>91</b>
	<u>Rudnitskaya A., Evtuguin D.V.</u>	
<b>O.24</b>	<b>Preparation and analysis of cello- and xylooligosaccharides - closing an analytical gap between monomer/dimer and the polymer</b>	<b>95</b>
	<u>Oberlechner J.T., Vejdovszky P., Zweckmair T., Schild G., Borgards A., Rosenau T., Potthast A.</u>	
<b>O.25</b>	<b>Enzymatic oxidation technology enables manufacturing of novel lightweight and stiff polysaccharide-based aerogels</b>	<b>99</b>
	<u>Mikkonen K.S., Parikka K., Ghafar A., Tenkanen M.</u>	
<b>O.26</b>	<b>Thermoplastic wood hemicellulose-lactide graft-polymers and films</b>	<b>103</b>
	<u>Dahlman O., Larsson K.</u>	
<b>O.27</b>	<b>Current and future applications of enzymes in the pulp and paper industry</b>	<b>107</b>
	<u>Lund H., Kalum L., Loureiro P.E.G., Pedersen H.H., Cassland P., Klausen K.T., Xu H., Delozier G.C.</u>	
<b>O.28</b>	<b>What basidiomycete genomes teach us about wood biodegradation mechanisms</b>	<b>111</b>
	<u>Ruiz-Dueñas F.J., Fernández-Fueyo E., Barrasa J.M., Hammel K.E., Martínez Á.T.</u>	
<b>O.29</b>	<b>Exploiting fungal diversity for optimized breakdown and saccharification of lignocellulosic biomass</b>	<b>115</b>
	<u>Faulds C., Berrin J.-G., Favel A., Gimbert I., Lesage-Meessen L., Levasseur A., Lomascolo A., Raouche S., Arfi Y., Bennati-Granier C., Bey M., Boyer C., Champion C., Couturier M., Daou M., Doan A., Drula E., Forquin-Gomez M.-P., Garajová S., Grisel S., Haon M., Liaud N., Mathieu Y., Navarro D., Odinot E., Parodi C., Piumi S., Piumi F., Poidevin L., Taussac S., Zhou S., Rosso M.-N., Record E., Sigoillot J.-C.</u>	
<b>O.30</b>	<b>Functionalization of cellulosic model substrates via laccase mediated coupling of non-polar particles</b>	<b>119</b>
	<u>Cusola O., Valls C., Vidal T., Roncero M.B., Rojas O.</u>	

<b>O.31</b>	<b>High Performance Thin Layer Chromatography in addressing analytical problems in the chemistry of renewables – a method gifted with great versatility</b>	<b>123</b>
	<u>Böhmdorfer S., Oberlerchner J., Nagawa C.B., Gorfer M., Potthast A., Rosenau T.</u>	
<b>O.32</b>	<b>Pinosylvins as novel bioactive compounds in food applications</b>	<b>127</b>
	<u>von Wright A., Parajó J.C., Telysheva G., Oven P., Willför S.</u>	
<b>O.33</b>	<b>High value triterpenic acids from <i>Eucalyptus</i> bark: from chemical characterization to environmentally friendly extraction, and scale-up studies</b>	<b>131</b>
	<u>Neto C.P., Domingues R.M.A., De Melo M.M.R., Freire C.S.R., Silvestre A.J.D., Silva C.M.</u>	
<b>O.34</b>	<b>The bark biorefinery: a side-stream of the forest industry converted into renewable barrier nanocomposites</b>	<b>135</b>
	<u>Le Normand M., Torró R.M., Ek M.</u>	
<b>O.35</b>	<b>Cork suberin isolation using biocompatible ionic liquids: from the extraction mechanism to new products</b>	<b>139</b>
	<u>Silvestre A.J.D., Ferreira R., Garcia H., Martins C., Sousa A.F., Freire C., Rebelo L.P.N., Pereira C.S.</u>	
<b>O.36</b>	<b>Polyesters and composites based on birch suberin</b>	<b>143</b>
	<u>Li D., Iversen T., Ek M.</u>	
<b>O.37</b>	<b>Biomass-based polyols through oxyalkylation of organosolv lignin by propylene carbonate</b>	<b>147</b>
	<u>Lehnert R., Kühnel I., Podschun J., Saake B.</u>	
<b>O.38</b>	<b>High tenacity cellulosic fibres from novel ionic liquid-cellulose solution by dry-jet wet spinning</b>	<b>151</b>
	<u>Asaadi S., Michud A., Hummel M., Sixta H.</u>	
<b>O.39</b>	<b>Preparation of lignin-based activated carbon fiber and its electrical application</b>	<b>155</b>
	<u>You X., Koda K., Yamada T., Uraki Y.</u>	

## Poster presentations

<b>P.1</b>	<b>Potential of rapeseed stems as an alternative raw material for papermaking purposes</b>	<b>159</b>
	<u>Aguado R., Moral A., Pérez A., Monte M.C., Tijero A.</u>	
<b>P.2</b>	<b>The influence of various pulp properties on the enzymatic hydrolyzability</b>	<b>163</b>
	<u>Aldaeus F., Larsson K., Srndovic J.S., Kubat M., Karlström K., Peciulyte A., Olsson L., Larsson P.T.</u>	
<b>P.3</b>	<b>Obtainment of hemicellulose derivatives and cellulose pulp from wheat straw following cold alkaline extraction</b>	<b>167</b>
	<u>Alfaro A., García M.T., García J.C., Díaz M.J., Loaiza J.M., López F.</u>	
<b>P.4</b>	<b>Monitoring oxidation-reduction potential of laccase-mediator system: can the efficiency of a redox mediator for delignifying kenaf pulp be predicted?</b>	<b>171</b>
	<u>Andreu G., Vidal T.</u>	
<b>P.5</b>	<b>Xylanase treatment of eucalyptus pulps in different chemical bleaching stages</b>	<b>175</b>
	<u>Ariza M., Barneto A.G., Vidal T., Ariza J.</u>	
<b>P.6</b>	<b>Removal of hemicelluloses from kraft paper pulp by chemical ways: search for optimum conditions</b>	<b>179</b>
	<u>Arnoul-Jarriault B., Chirat C., Lachenal D.</u>	
<b>P.7</b>	<b>Functionality and physical-chemical characteristics of wheat straw lignin derivatives formed in the oxypropylation process</b>	<b>183</b>
	<u>Arshanitsa A., Vevere L., Telysheva G., Gosselink R.J.A., Bikovens O., Jablonski A.</u>	

<b>P.8</b>	<b>Solubility studies of Alcell and Indulin AT lignins in pure solvents</b>	<b>187</b>
	Barbosa M.M., Lemons C.F., Barreiro M.F., Pinho S.P.	
<b>P.9</b>	<b>A rapid method for the simultaneous titration of phenolic hydroxyl and carboxyl groups in industrial lignins</b>	<b>191</b>
	Bardot F., Feydeau M., Mortha G.	
<b>P.10</b>	<b>Photobleaching of eucalyptus kraft pulps. Thermogravimetric monitoring</b>	<b>195</b>
	Barneto A.G., Ariza M., Vidal T., Ariza J.	
<b>P.11</b>	<b>Secretion patterns of ligninolytic enzymes by white-rot wood and humus basidiomycetes revealed by dye decolorization on agar plates</b>	<b>199</b>
	Barrasa J.M., Martínez Á.T., Ruiz-Dueñas F.J.	
<b>P.12</b>	<b>The efficiency of physicochemical pretreatment of sorghum and <i>Miscanthus</i> biomass in the production of 2nd generation of bioethanol</b>	<b>203</b>
	Batog J., Wawro A., Pieprzyk-Kokocha D., Skibniewski Z.	
<b>P.13</b>	<b>Batch acetone-butanol-ethanol (ABE) fermentation using <i>Clostridium beijerinckii</i> from pretreated wheat straw</b>	<b>207</b>
	Bellido C., González-Benito G., Loureiro M., Coca M., García-Cubero M.T.	
<b>P.14</b>	<b>Using glycosidases to modify TCF bleached specialty sisal fibers</b>	<b>211</b>
	Beltramo F., Valls C., Vidal T., Roncero M.B.	
<b>P.15</b>	<b>Softwood kraft lignin isolation form black liquor: from laboratory to pilot-scale production</b>	<b>215</b>
	Bertaud F., Guillemain A., Tapin-Lingua S., Molina-Boisseau S., Petit-Conil M.	
<b>P.16</b>	<b>Influence of wood extractives on Calcium balance during kraft cooking</b>	<b>219</b>
	Bialik M., Björklund-Jansson M., Törngren P.	
<b>P.17</b>	<b>New insights into soap solubility and separation during kraft cooking</b>	<b>223</b>
	Björklund-Jansson M., Bialik M., Törngren P.	
<b>P.18</b>	<b>Determination of the full elemental composition of pulp and wood samples</b>	<b>227</b>
	Bogolitsyn K.G., Malkov A.V., Kashina E.M., Pochtovalova A.S.	
<b>P.19</b>	<b>Study of the wood substance's morphological structure characteristics using the methods of steam explosion and supercritical fluid extraction treatment</b>	<b>231</b>
	Bogolitsyn K., Gravitis J., Gusakova M., Chukhchin D., Krasikova A., Zubov I., Ivakhnov A., Khviuzov S.	
<b>P.20</b>	<b>Physico-chemical properties of lignin-humic compounds</b>	<b>235</b>
	Bogolitsyn K., Parfenova L., Selyanina S., Trufanova M., Orlov A.	
<b>P.21</b>	<b>Formation of lignin-carbohydrate matrix of deciduous wood by the example of aspen (<i>Populus tremula</i>) under biotic stress</b>	<b>239</b>
	Bogolitsyn K., Gusakova M., Pustinnaja M., Sloboda A.	
<b>P.22</b>	<b>Extractive substances of common juniper of subarctic region of Russia</b>	<b>243</b>
	Bogolitsyn K., Selivanova N., Gusakova M.	
<b>P.23</b>	<b>Submolecular structure of the softwood cell's wall</b>	<b>247</b>
	Bogolitsyn K., Chukhchin D., Gusakova M., Zubov I., Krasikova A.	
<b>P.24</b>	<b>Evaluation of alkaline deconstruction processes for Brazilian new generation of eucalypt clones</b>	<b>251</b>
	Gomes F.J.B., Colodette J.L., Milanez A., Andreotti J., Burnet A., Petit-Conil M., del Río J.C., Gutiérrez A., Pérez-Boada M., Martínez Á.T., Santos F.A.	

<b>P.25</b>	<b>Acclimatization of microorganisms for direct fermentation of concentrated hydrolysates</b> Boucher J., Chirat C., Carvajal J., Bastidas B., Lachenal D.	<b>255</b>
<b>P.26</b>	<b>Effect of the composition and molecular weights of lignosulfonate and chitosan on strength and deformation properties of polymer films on their basis</b> Brovko O., Kazakov Y., Bogolitsyn K., Boitsova T., Palamarchuk I., Rusanova N.	<b>259</b>
<b>P.27</b>	<b>Applicability of lignocellulosic fibers from plantain (<i>Musa paradisiaca</i>) as reinforcement of polymer composites</b> Cadena E.M., Vélez J.M., Santa F., Otálvaro V.	<b>263</b>
<b>P.28</b>	<b>Purification and characterization of a recombinant xylosidase from <i>Enterobacter</i> sp.</b> Campos E., Negro M.J., Manzanares P., Sáez F., Talia P., Cataldi A.A., Ballesteros M.	<b>267</b>
<b>P.29</b>	<b>Feasibility of use of banana (<i>Musa accuminata</i>) rachis in papermaking</b> Carbajo J.M., González F., Santos S.M., Revilla E., Villar J.C.	<b>271</b>
<b>P.30</b>	<b>Hydroxyl and carbonyl oxidation during biotransformation of hexose-derived hydroxymethyl furfural by fungal aryl-alcohol oxidase</b> Carro J., Rodríguez L., Prieto A., Ferreira P., Martínez Á.T.	<b>275</b>
<b>P.31</b>	<b>Synthesis of functionalized xylan derivatives for macromolecular engineering</b> Chemin M., Rakotovelo A., Ham-Pichavant F., Alfos C., da Silva Perez D., Petit-Conil M., Cramail H., Grelier S.	<b>279</b>
<b>P.32</b>	<b>Effect of amphipathic lignin derivative on simultaneous saccharification and fermentation (SSF) of softwood pulp for bioethanol production</b> Cheng N., Koda K., Tamai Y., Uraki Y.	<b>283</b>
<b>P.33</b>	<b>Characterization of <i>Eucalyptus globulus</i> lignins produced by kraft and organosolv process</b> Costa C.A., Pinto P.C.R., Rodrigues A.E.	<b>287</b>
<b>P.34</b>	<b>Polyalcohol liquefaction of agroforestry residues</b> Cruz-Lopes L.P., Lopes S., Prozil S.O., Evtuguin D.V., Domingos I., Ferreira J.V., Viana H., Esteves B.	<b>291</b>
<b>P.35</b>	<b>Coating of laccase-activated phenols for the industrially feasible functionalization of cellulose-based substrates</b> Cusola O., Valls C., Vidal T., Roncero M.B.	<b>295</b>
<b>P.36</b>	<b>Studies on the pretreatment of native cellulose and lignocellulosic residues of stone pine (<i>Pinus pinea</i>), carnaúba (<i>Copernicia prunifera</i>) and macaúba palm (<i>Acrocomia aculeata</i>) in ionic liquids for biofuel production</b> da Silva-Lacerda V., Barbosa-Evaristo A., Correa-Guimaraes A., Hernández-Navarro S., Navas-Gracia L.M., Martín Ramos P., Sánchez-Sastre L.F., Pérez-Lebeña E., Martín-Gil J.	<b>299</b>
<b>P.37</b>	<b>Techno-economic assessment of gasification schemes for electricity generation from olive tree pruning</b> Dávila J.A., Hernández V., Romero J.M., Castro E., Cardona C.A.	<b>303</b>
<b>P.38</b>	<b>Influence of lignin source and modification on the properties of lignin-polyethylene blends</b> Dehne L., Vila C., Schwarz K.U., Saake B.	<b>307</b>
<b>P.39</b>	<b>A detailed structural characterization of the lignin from wheat straw</b> del Río J.C., Rencoret J., Prinsen P., Gutiérrez A., Ralph J., Martínez Á.T.	<b>311</b>
<b>P.40</b>	<b>Isolation and structural characterization of lignin-carbohydrate complexes from sisal and abaca fibers</b> del Río J.C., Rencoret J., Prinsen P., Cadena E.M., Martínez Á.T., Gutiérrez A.	<b>315</b>

<b>P.41</b>	<b>Induced production of the hydrolytic enzymes by <i>Aspergillus aculeatus</i> in submerged fermentation on steam-exploded wheat-straw as carbon source</b>	<b>319</b>
	Demuez M., González-Fernández C., Negro M.J., Ballesteros M.	
<b>P.42</b>	<b>Silica-based nanocoatings for tailored modification of paper surfaces</b>	<b>323</b>
	Dias V.M., Duarte R.F., Portugal I., Evtuguin D.V.	
<b>P.43</b>	<b>Wood based activated carbons for supercapacitors</b>	<b>327</b>
	Dobele G., Volperts A., Telysheva G., Vervikishko D., Shkolnikov E.	
<b>P.44</b>	<b>WOBAMA – Wood Based Materials And Fuels</b>	<b>331</b>
	Ek M., Chirat C., Li D., Iversen T., Malmström E., Norström E., Sixta H., Testova L., Wawro D.	
<b>P.45</b>	<b>Effect of anatomical features of <i>Eucalyptus globulus</i> and <i>E. nitens</i> wood quality</b>	<b>335</b>
	Elissetche J.P., Carrillo I., Mendonça R.T., Valenzuela S.	
<b>P.46</b>	<b>Kinetics study of furfural formation from xylose in non-catalyzed microwave-assisted reactions</b>	<b>339</b>
	Ershova O., Kanervo J., Lehtonen J., Sixta H.	
<b>P.47</b>	<b>Papermaking potential of wood and pre-hydrolyzed barks of <i>Eucalyptus globulus</i></b>	<b>343</b>
	Fernandes L., Neiva D., Amaral E., Gominho J., Pereira H., Duarte A.P., Simões R.	
<b>P.48</b>	<b>2D-NMR demonstration of lignin removal from wood and non-wood plant feedstocks by fungal versatile peroxidase</b>	<b>347</b>
	Fernández-Fueyo E., Rencoret J., Berbis M.A., Ruiz-Dueñas F.J., Gutiérrez A., del Río J.C., Jiménez-Barbero J., Hammel K.E., Martínez Á.T.	
<b>P.49</b>	<b>Acetosolv pulping: a stage in the fractionation of EFB (empty fruit bunches) from oil palm industry</b>	<b>351</b>
	Ferrer A., Vega A., Ligero P., Jiménez L., Rodríguez A.	
<b>P.50</b>	<b>Bioethanol production from <i>Cistus ladanifer</i> pretreated by steam explosion</b>	<b>355</b>
	Ferro M., Paulino A.F.C., Gravitis J., Evtuguin D.V., Xavier A.M.R.B., Fernandes M.C.	
<b>P.51</b>	<b>Acid pretreatment of <i>Jatropha curcas</i> shells for enzymatic hydrolysis of cellulose</b>	<b>359</b>
	García A., Cara C., Moya M., Rapado J., Linares J.C., Castro E., Martín C.	
<b>P.52</b>	<b><i>Eucalyptus globulus</i> biopulping: optimization enzymatic-mediator treatment</b>	<b>363</b>
	García M.T., García J.C., Díaz M.J., López F.	
<b>P.53</b>	<b>Radial and axial variation of non-polar extractives in <i>Eucalyptus globulus</i></b>	<b>367</b>
	Gominho J., Lourenço A., Miranda I., Velez A., Pereira H.	
<b>P.54</b>	<b>Orange tree prunings as raw material for cellulose production by ethanol process</b>	<b>371</b>
	González Z., Vargas F., Espinosa E., Jiménez L., Rodríguez A.	
<b>P.55</b>	<b>Screening mutant libraries of versatile peroxidase from <i>Pleurotus eryngii</i> to enhance oxidative stability</b>	<b>375</b>
	González-Pérez D., Román A., García-Ruiz E., Ruiz-Dueñas F.J., Martínez Á.T., Alcalde M.	
<b>P.56</b>	<b>Physicochemical properties of PLA lignin blends</b>	<b>379</b>
	Gordobil O., Egúés I., Llano-Ponte R., Labidi J.	
<b>P.57</b>	<b>High yield cooking of wood chips with sulphite in neutral media</b>	<b>383</b>
	Hanhikoski S., Varhimo A., Niemelä K., Warsta E., Vuorinen T.	
<b>P.58</b>	<b>Immunolocalization of arabinoxylan in wheat bran to monitor the effect of different treatments</b>	<b>387</b>
	Hell J., Donaldson L., Michlmayr H., Kneifel W., Rosenau T., Potthast A., Böhmdorfer S.	

<b>P.59</b>	<b>Reductive treatments of cellulosic pulp and paper for better color and alkali stability</b>	<b>391</b>
	Henniges U., Rosenau T., Potthast A.	
<b>P.60</b>	<b>Techno economic and environmental assessment of the ethanol production from olive stone</b>	<b>395</b>
	Hernández V., Romero-García J.M., Castro E., Cardona C.A.	
<b>P.61</b>	<b>Heterogeneous surface modification of cellulose: synthesis of photoactive materials via click chemistry</b>	<b>399</b>
	Hettegger H., Harreither W., Merz K., Rohrer C., Potthast A., Rosenau T.	
<b>P.62</b>	<b>Phase separable ionic liquids for lignocellulose processing</b>	<b>403</b>
	Holding A.J., Rodríguez H., Kilpeläinen I., King A.W.T.	
<b>P.63</b>	<b>2,5-Dihydroxy-[1,4]-benzoquinone as a key chromophore in aged cellulosics - molecular mechanisms of its removal in a peroxide stage</b>	<b>407</b>
	Hosoya T., Henniges U., Potthast A., Rosenau T.	
<b>P.64</b>	<b>Effects of main group metal salts on H<sub>2</sub>O<sub>2</sub> degradation of 2,5-dihydroxy-[1,4]-benzoquinone as a key chromophore in aged cellulosics</b>	<b>411</b>
	Hosoya T., Henniges U., Potthast A., Rosenau T.	
<b>P.65</b>	<b>One-step production of cellulose nanofibers dispersed in both hydrophobic and hydrophilic solvents</b>	<b>415</b>
	Huang P., Wu M., Kuga S., Huang Y.	
<b>P.66</b>	<b>Prediction of scaling risk in chemical pulp bleach plants</b>	<b>419</b>
	Huber P., Burnet A., Petit-Conil M.	
<b>P.67</b>	<b>Black liquor supercritical water gasification in the case of a sulfur-free cooking process</b>	<b>423</b>
	Huet M., Roubaud A., Lachenal D.	
<b>P.68</b>	<b>Influence of hardwood species on alternative dissolving pulp production</b>	<b>427</b>
	Hutterer C., Schild G., Potthast A.	
<b>P.69</b>	<b>Modification of hydrolysis lignin for valuable applications</b>	<b>431</b>
	Ipatova E.V., Evtuguin D.V., Krutov S.M., Santos S.A.O., Sazanov U.N.	
<b>P.70</b>	<b>Allocation of kraft lignin by supercritical carbon dioxide</b>	<b>435</b>
	Ivahnov A., Skrebets T., Brovko O.	
<b>P.71</b>	<b>Molecular mass distribution of lignin from black liquor – methods comparison</b>	<b>439</b>
	Jacobs A., Aldaeus F., Chedid F.	
<b>P.72</b>	<b>Evaluation of grey alder bark tannin as phenol substitute in the synthesis of phenol-formaldehyde resins suitable for plywood</b>	<b>443</b>
	Janceva S., Papadopoulou E., Kulinsk L., Lauberts M., Dizhbite T., Telysheva G.	
<b>P.73</b>	<b>Importance of H<sub>2</sub>SO<sub>4</sub> or NaOH concentration on removal of xylan and lignin for enzymatic cellulose hydrolysis</b>	<b>447</b>
	Kabel M., Murciano-Martínez P., Punt A., Gruppen H.	
<b>P.74</b>	<b>Chemical and therapeutic properties of the root bark extracts of <i>Myrianthus arboreus</i></b>	<b>451</b>
	Kasangana P.B., Haddad P., Stevanovic T.	
<b>P.75</b>	<b>Photometric determination of lignin in lignocellulosic materials</b>	<b>455</b>
	Khabarov Y.G., Babkin I.M., Komarova G.V., Rekun A.A., Kuzyakov N.Y.	
<b>P.76</b>	<b>Depolymerization of condensed lignins under the influence of nitric acid</b>	<b>459</b>
	Khabarov Y.G., Lakhmanov D.E.	

<b>P.77</b>	<b>2D NMR (HSQC) profiling of transgenic <i>Populus trichocarpa</i> lignins</b>	<b>463</b>
	Kim H., Li Q., Liu J., Yang C., Shi R., Wang J., Chen H.-C., Lin C.-Y., Lin Y.-C., Sun Y.-H., Yeh T.-F., Tunlaya-Anukit S., Sederoff R., Chiang V.L., Ralph J.	
<b>P.78</b>	<b>Characterisation of technical lignins by NMR spectroscopy</b>	<b>467</b>
	Korntner P., Bacher M., Sumerskii I., Rosenau T., Potthast A.	
<b>P.79</b>	<b>Mild alkaline hot-water extraction of lignin from spruce wood</b>	<b>471</b>
	Korotkova E., Pranovich A., Willför S.	
<b>P.80</b>	<b>New inorganic-organic composite pigments in paper</b>	<b>475</b>
	Kuusisto J., Maloney T.C.	
<b>P.81</b>	<b>Fractionation of wood using 1-butyl-3-methylimidazolium based ionic liquids</b>	<b>479</b>
	Ladesov A.V., Kosyakov D.S., Bogolitsyn K.G., Amosov A.S., Falev D.I., Pokryshkin S.A.	
<b>P.82</b>	<b>Nanoparticle fillers obtained from bark for their use in paper coatings</b>	<b>483</b>
	Laka M., Treimanis A., Chernyavskaya S., Skute M., Rozenberga L.	
<b>P.83</b>	<b>Chemical analysis and fractional separation of spent liquors from pulp and paper industry</b>	<b>487</b>
	Laun S., Lehmann I., Mölleken H., Kling H.-W.	
<b>P.84</b>	<b>Effect of wet torrefaction pretreatment on the composition of bio-oil from forest biomass</b>	<b>491</b>
	Le Roux É., Diouf P.N., Stevanovic T.	
<b>P.85</b>	<b>Analysis of lignin degradation products in spent liquors by APCI-MS/MS</b>	<b>495</b>
	Lehmann I., Laun S., Mölleken H., Kling H.-W.	
<b>P.86</b>	<b>From lignin-aerogels to carbogels</b>	<b>499</b>
	Leitner S.P., Paulik C., Weber H.	
<b>P.87</b>	<b>Organosolv fractionation of beech wood – the first year of operation at pilot scale</b>	<b>503</b>
	Leschinsky M., Verges M., Unkelbach G.	
<b>P.88</b>	<b>Dehydrogenative polymerization of coniferyl alcohol on the xylan-deposited honeycomb-patterned cellulose films</b>	<b>507</b>
	Li Q., Tasaki Y., Koda K., Uraki Y.	
<b>P.89</b>	<b>Elucidation of degradation products in rayon spinning baths</b>	<b>511</b>
	Liftinger E., Zweckmair T., Schild G., Eilenberger G., Böhmdorfer S., Rosenau T., Potthast A.	
<b>P.90</b>	<b>Effect of steam explosion on fibre lignin structure for self-binding fiber boards</b>	<b>515</b>
	Liitiä T., Rovio S., Talja R., Tamminen T., Rencoret J., Gutiérrez A., del Río J.C., Sutka A., Tupciauskas R., Andzs M., Gravitis J.	
<b>P.91</b>	<b>Structural characterization of the lignins from sugarcane bagasse and straw</b>	<b>519</b>
	Lino A.G., Rencoret J., Gutiérrez A., Colodette J.L., Lima C.F., Martínez Á.T., del Río J.C.	
<b>P.92</b>	<b>Preparation and stabilization of gold nanoparticles using cellulose derivatives as the reducing and stabilizing agent</b>	<b>523</b>
	Li W., Tan J., Liu R., Huang Y.	
<b>P.93</b>	<b>Evaluation of bloom algae as raw material for papermaking</b>	<b>527</b>
	López M.M., Moral A., Aguado R., Campaña M.L., Tijero A.	
<b>P.94</b>	<b>Lignin characterization of teak wood from mature trees from East Timor by Py-GC/MS(FID)</b>	<b>531</b>
	Lourenço A., Neiva D., Gominho J., Velez A., Pereira H.	
<b>P.95</b>	<b>Characterization of <i>Cynara cardunculus</i> L. lignin by Py-GC/MS(FID)</b>	<b>535</b>
	Lourenço A., Neiva D., Gominho J., Curt M.D., Fernández J., Velez A., Pereira H.	

<b>P.96</b>	<b>Hakea sericea Schrader: a source of bioactive compounds</b>	<b>539</b>
	Luis A., Cruz C., Domingues F., Duarte A.P.	
<b>P.97</b>	<b>Composite fibre spinning of cellulose and lignin from ionic liquid</b>	<b>543</b>
	Ma Y., Asaadi S., Hummel M., Sixta H.	
<b>P.98</b>	<b>Integration of a dissolving pulp mill and a cellulose based textile fiber plant</b>	<b>547</b>
	Magnusson H., Kvarnlöf N., Germgård U.	
<b>P.99</b>	<b>Water extraction, dilute-sulfuric pretreatment and enzymatic hydrolysis of <i>Jatropha curcas</i> shells</b>	<b>551</b>
	Martín C., García A., Schreiber A., Puls J., Saake B.	
<b>P.100.</b>	<b>Chemical composition and topochemistry of delignification in <i>Eucalyptus globulus</i> genotypes with different pulpwood characteristics</b>	<b>555</b>
	Mendonça R.T., Aguayo M.G., Martínez P., Ferraz A.	
<b>P.101</b>	<b>Influence of molar mass distribution on the final properties of regenerated fibers from cellulose dissolved in ionic liquid by dry-jet wet spinning</b>	<b>559</b>
	Michud A., Hummel M., Sixta H.	
<b>P.102</b>	<b>Exploring mono-oxygenase activity in mutant libraries of unspecific peroxygenase from <i>Agrocybe aegerita</i></b>	<b>563</b>
	Molina-Espeja P., González-Pérez D., Martín-Díaz J., García-Ruiz E., Alcalde M.	
<b>P.103</b>	<b>Study of the action of auto-hydrolysis of softwood chips on lignin and lignin-carbohydrates complexes (LCC)</b>	<b>567</b>
	Monot C., Chirat C., Du X., Li J.	
<b>P.104</b>	<b>Synergistic effect of cellulose nanocrystals and graphene on the properties of polymeric biocomposites</b>	<b>571</b>
	Montes S., Carrasco P.M., Odriozola I., Cabañero G., Grande H., Labidi J., Ruiz V.	
<b>P.105</b>	<b>TCF bleaching of organosolv pulp from orange tree trimmings</b>	<b>575</b>
	Moral A., Aguado R., Cabeza E., Ballesteros M.M., Tijero A.	
<b>P.106</b>	<b>Cellulose from <i>Ulva</i> sp. as a reinforcing fibre for the pulp and paper industry</b>	<b>579</b>
	Moral A., López M.M., Aguado R., Torrecilla J.S., Tijero A.	
<b>P.107</b>	<b>Depolymerisation of cellulose during cold acidic chlorite treatment</b>	<b>583</b>
	Mortha G., Marcon J., Dallérac D., Vallée C., Charon N., Le Masle A.	
<b>P.108</b>	<b>Carbohydrate loss reactions during viscose manufacture</b>	<b>587</b>
	Mozdyniewicz D.J., Nieminen K., Schild G., Sixta H.	
<b>P.109</b>	<b>Effectiveness of the rapid release of pressure during the steam explosion pretreatment</b>	<b>591</b>
	Muzamal M., Rasmussen A.	
<b>P.110</b>	<b>Twin-screw extrusion pretreatment of olive-tree pruning for fermentable sugars production</b>	<b>595</b>
	Negro M.J., Duque A., Manzanares P., Sáez F., Oliva J.M., Ballesteros I., Ballesteros M.	
<b>P.111</b>	<b>Kraft pulping and wood chemical composition for 12 <i>Eucalyptus</i> species</b>	<b>599</b>
	Neiva D.M., Araújo S., Lourenço A., Gominho J., Pereira H.	
<b>P.112</b>	<b>Novel insight in carbohydrate degradation during alkaline treatment</b>	<b>603</b>
	Nieminen K., Paananen M., Testova L., Sixta H.	
<b>P.113</b>	<b>Enzymatic saccharification of hardwood semichemical pulps: lignocellulose biorefinery aspects</b>	<b>607</b>
	Novozhilov E.V., Aksyonov A.S., Demidov M.L., Chukhchin D.G., Tyshkunova I.V., Sinitsyn A.P.,	

Dotsenko G.S., Osipov D.O.

<b>P.114</b>	<b>Revival of Thin Layer Chromatography – separation and quantification of carbohydrates by High Performance Thin Layer Chromatography (HP-TLC)</b>	<b>611</b>
	Oberlerchner J.T., Böhmdorfer S., Zweckmair T., Koch S., Kindler A., Rosenau T., Potthast A.	
<b>P.115</b>	<b>Comparison of pinosylvin content in pine species from different locations in Europe</b>	<b>615</b>
	Oven P., Poljanšek I., Vek V., Willför S., Parajó J.C.	
<b>P.116</b>	<b>A novel titration method of oxoammonium salt converted from radical TEMPO</b>	<b>619</b>
	Pääkkönen T., Tummala G.K., Pönni R., Nuopponen M., Vuorinen T.	
<b>P.117</b>	<b>Effect of hydroxide and sulfite concentration on the carbohydrate preservation during Alkaline Sulfite Anthraquinone (ASA) pulping</b>	<b>623</b>
	Paananen M., Liitiä T., Rovio S., Sixta H.	
<b>P.118</b>	<b>Lignin fluorescence in solid state</b>	<b>627</b>
	Panfilova M.V., Kosyakov D.S., Bogolitsyn K.G.	
<b>P.119</b>	<b>Domain swapping between two high-redox potential laccases: effect on enzyme properties</b>	<b>631</b>
	Pardo I., Camarero S.	
<b>P.120</b>	<b>Engineering high-redox potential laccases in the lab to aid biomass conversion into chemicals, materials and biofuels</b>	<b>635</b>
	Pardo I., Vicente A.I., Alcalde M., Camarero S.	
<b>P.121</b>	<b>Designing robust cations for distillable and cellulose dissolving acid-base conjugate ionic liquids</b>	<b>639</b>
	Parviaainen A., Helminen K.J., Hyväkkö U., Mutikainen I., Hummel M., Selg C., Hauru L.K.J., Sixta H., King A.W.T., Kilpeläinen I.	
<b>P.122</b>	<b>Mechanical processing of sorghum and <i>Miscanthus</i> in the production of 2nd generation bioethanol</b>	<b>643</b>
	Pieprzyk-Kokocha D., Batog J., Wawro A., Skibniewski Z.	
<b>P.123</b>	<b>Macroporous, mechanically stable cellulose phosphate aerogels for tissue engineering applications</b>	<b>647</b>
	Pircher N., Rosenau T., Liebner F.	
<b>P.124</b>	<b>PINOBIO - Pinosylvins as novel bioactive agents for food applications</b>	<b>651</b>
	Plumed-Ferrer C., Eklund P., Storvik M., Pasanen M., Willför S., von Wright A.	
<b>P.125</b>	<b>Phenolation of lignins: effect of structure on reactivity</b>	<b>651</b>
	Podschun J., Stückler A., Saake B., Lehnens R.	
<b>P.126</b>	<b>Enzymatic oxidation of lignin in water-DMSO binary solvent</b>	<b>659</b>
	Pokryshkin S.A., Bogolitsyn K.G.	
<b>P.127</b>	<b>Nanocomposites from acetylated freeze dried nanofibrillated cellulose (NFC) and PLA</b>	<b>663</b>
	Poljanšek I., Žepič V., Oven P., Hančič A.	
<b>P.128</b>	<b>Alkali treatment of birch kraft pulp to enhance its TEMPO catalyzed oxidation with hypochlorite</b>	<b>667</b>
	Pönni R., Pääkkönen T., Nuopponen M., Pere J., Vuorinen T.	
<b>P.129</b>	<b>Structure-antioxidant activity relationship for low-molecular and high-molecular plant phenylpropanoids: acyclic diarylpropanoids and lignins</b>	<b>671</b>
	Ponomarenko J., Trouillas P., Dizhbite T., Lauberts M., Roze L., Jurkjane V., Krasilnikova J., Telysheva G.	

<b>P.130</b>	<b>Extraction of polymeric acetyl-galactoglucomannan in high yield from spruce wood with hot water</b>	<b>675</b>
	Pranovich A., Holmbom B., Willför S.	
<b>P.131</b>	<b>Chemical composition of lipophilic compounds from wheat straw</b>	<b>679</b>
	Prinsen P., Gutiérrez A., del Río J.C.	
<b>P.132</b>	<b>Evaluation of grape stalks as a feedstock for pellets production</b>	<b>683</b>
	Prozil S.O., Evtuguin D.V., Lopes S.M., Cruz Lopes L.P., Arshanitsa A.S., Solodovnik V.P., Telysheva G.M.	
<b>P.133</b>	<b>Chemical characterization of <i>Eucalyptus globulus</i> from different provenances by analytical pyrolysis and chemometrical tools</b>	<b>687</b>
	Puentes C., Cofré C., Rojo K., Valenzuela S., Mendonça R.T.	
<b>P.134</b>	<b>Evaluating changes on cellulosic biobleached fibers by means of thermogravimetric analysis</b>	<b>691</b>
	Quintana E., Barneto A.G., Valls C., Vidal T., Ariza J., Roncero M.B.	
<b>P.135</b>	<b>Exploring biobleaching possibilities of dissolving pulps by means of enzymatic treatments</b>	<b>695</b>
	Quintana E., Valls C., Vidal T., Roncero M.B.	
<b>P.136</b>	<b>Phenolic composition and antioxidant activity of <i>Cynara cardunculus</i> L. var. <i>altilis</i> (DC) extracts</b>	<b>699</b>
	Ramos P.A.B., Santos S.A.O., Guerra Á.R., Guerreiro O., Freire C.S.R., Duarte M.F., Silvestre A.J.D.	
<b>P.137</b>	<b>Biografting of ferulic acid onto lignocellulosic fibers by the use of laccases</b>	<b>703</b>
	Rencoret J., Aracri E., Gutiérrez A., del Río J.C., Torres A.L., Vidal T., Martínez Á.T.	
<b>P.138</b>	<b>Structural characterization of the milled wood lignin isolated from brewer's spent grain</b>	<b>707</b>
	Rencoret J., Prinsen P., Gutiérrez A., Martínez Á.T., del Río J.C.	
<b>P.139</b>	<b>2D NMR study of lignin modification during the pretreatment of <i>Eucalyptus</i> wood feedstock with a fungal laccase and a phenolic mediator</b>	<b>711</b>
	Rico A., Rencoret J., del Río J.C., Martínez Á.T., Gutiérrez A.	
<b>P.140</b>	<b>IONCELL-P: Selective hemicellulose extraction method with ionic liquids</b>	<b>715</b>
	Roselli A., Asikainen S., Stepan A., Monshizadeh A., von Weymarn N., Kovasin K., Hummel M., Sixta H.	
<b>P.141</b>	<b>Separation and characterization of sulfur-free lignin from different agricultural residues</b>	<b>719</b>
	Rossberg C., Bremer M., Machill S., Fischer S.	
<b>P.142</b>	<b>Scots pine growing in Latvia as a source of pinosylvin stilbenes</b>	<b>723</b>
	Roze L., Lauberts M., Dizhbite T., Willför S., Telysheva G.	
<b>P.143</b>	<b>Comparative study of nanocellulose preparation methods</b>	<b>727</b>
	Sable I., Vikele L., Treimanis A., Anteina L.	
<b>P.144</b>	<b>Demonstration of lignosulfonates oxidation by versatile peroxidase from <i>Pleurotus eryngii</i></b>	<b>731</b>
	Sáez-Jiménez V., Baratto M.C., Pogni R., Martínez Á.T., Ruiz-Dueñas F.J.	
<b>P.145</b>	<b>Allylation and Claisen rearrangement as novel chemical modification of lignin</b>	<b>735</b>
	Salanti A., Orlando M., Paola F., Zoia L.	
<b>P.146</b>	<b>Structural changes in recycle pulp induced by high pressure treatment</b>	<b>739</b>
	Salgueiro A.M., Evtuguin D.V., Saraiva J.A., Almeida F.	
<b>P.147</b>	<b>Acid hydrolysis of <i>Pinus radiata</i> in 1-butyl-3-methylimidazolium chloride</b>	<b>743</b>
	Santos T.M., Oliet M., Domínguez J.C., Alonso M.V., Rodríguez F.	

<b>P.148</b>	<b>Production of metallic nanoparticles using <i>Eucalyptus globulus</i> bark phenolic extracts: unveiling the mechanism of an environmentally friendly process</b>	<b>747</b>
	Santos S.A.O., Pinto R.J.B., Rocha S.M., Marques P.A.A.P., Neto C.P., Silvestre A.J.D., Freire C.S.R.	
<b>P.149</b>	<b>Evaluation of physico-mechanical treatments on sugarcane bagasse cellulose hydrolysis</b>	<b>751</b>
	Santucci B.S., Curvelo A.A.S., Pimenta M.T.B.	
<b>P.150</b>	<b>Kraft lignin depolymerisation by based catalysed degradation (BCD) - The effect of process parameters on conversion degree and structural features of BCD fractions</b>	<b>755</b>
	Schmiedl D., Böringer S., Schweppe R., Liitiä T., Rovio S., Tamminen T., Rencoret J., Gutiérrez A., del Río J.C.	
<b>P.151</b>	<b>Sorbents from kraft lignin: impact of the chemical modification on the thermal stability and porous structure</b>	<b>759</b>
	Sevastyanova O., Podkościelna B., Gawdzik B., Sobiesiak M., Bartnicki A., Poddubnaya O., Lindström E.M., Puzyr A.	
<b>P.152</b>	<b>Change in enzymatic digestibility of agro-crop lignocellulosic biomass during selective hydrolytic removal of xylan</b>	<b>763</b>
	Shatalov A.A., Morais R.C., Duarte L.C., Carvalheiro F.	
<b>P.153</b>	<b>Integrated upgrading of agro-crop lignocellulosic biomass for production of high grade cellulose fibers</b>	<b>767</b>
	Shatalov A.A., Pereira H.	
<b>P.154</b>	<b>Utilization of <i>Cladophora</i> in paper/paperboard production</b>	<b>771</b>
	Shi B., Lortscher P., Palfery D.	
<b>P.155</b>	<b>Thermochemical properties of lignin model compounds</b>	<b>775</b>
	Shkaeva N., Kosyakov D., Skrebets T., Bogolitsyn K.	
<b>P.156</b>	<b>Modification of aspen wood microparticles by ammoxidation method and their use in wood-polymer composites</b>	<b>779</b>
	Shulga G., Neiberte B., Verovkins A., Livcha S., Vitolina S., Jaunslavietis J.	
<b>P.157</b>	<b>Obtaining lignocellulosic microparticles using energy saving pre-treatment method</b>	<b>783</b>
	Shulga G., Vitolina S., Neiberte B., Verovkins A., Jaunslavietis J., Ozolins J.	
<b>P.158</b>	<b>Synthesis of novel cationic cellulose derivative for wastewater treatment</b>	<b>787</b>
	Sievänen K., Kavakka J., Vainio P., Karisalmi K., Fiskari J., Kilpeläinen I.	
<b>P.159</b>	<b>Determination of fundamental thermal characteristics of lignin – a comparative study</b>	<b>791</b>
	Sjöholm E., Aldaeus F., Reimann A., Ropponen J., Talja R.	
<b>P.160</b>	<b>Mechanochemical treatment of cotton linters in the presence of styrene</b>	<b>795</b>
	Solala I., Henniges U., Pirker K.F., Stefanovic B., Rosenau T., Potthast A., Vuorinen T.	
<b>P.161</b>	<b>Identification and production of xylanases derived from <i>Piriformospora indica</i></b>	<b>799</b>
	Sominka A., Mueller-Roeber B., Dortay H.	
<b>P.162</b>	<b>Effect of xylanase origin on removal of xylan-associated chromophore structures in bleached <i>E. globulus</i> kraft pulp</b>	<b>803</b>
	Sousa J.I.T., Evtuguin D.V., Carvalho M.G.V.S.	
<b>P.163</b>	<b>Alginate analysis and characterization by two different fractionation techniques</b>	<b>807</b>
	Sulaeva I., Henniges U., Harreither W., Rohrer C., Rosenau T., Potthast A.	
<b>P.164</b>	<b>Isolation and characterisation of lignosulfonates from spent sulfite liquor</b>	<b>811</b>
	Sumerskii I., Korntner P., Rosenau T., Potthast A.	

<b>P.165</b>	<b>Electrospinning and characterization of cellulose/polymer nanocomposite fiber mats</b>	815
	Sutka A., Kukle S., Gravitis J.	
<b>P.166</b>	<b>Immobilization of laccase on bacterial cellulose: optimization of enzyme stability, activity and characterization</b>	819
	Tavares A.P.M., Frazão C.J.R., Silva N.H.C., Freire C.S.R., Silvestre A.J.D., Xavier A.M.R.B.	
<b>P.167</b>	<b>Electrokinetic properties (cationic demand) of cellulose suspensions</b>	823
	Tijero A., Hernández M.D., Moral A., Aguado R., de la Torre M.J.	
<b>P.168</b>	<b>Relationship among cationization degree, crystalline structure and viscosity of the cationized cellulose</b>	827
	Tijero A., Hernández M.D., Moral A., Aguado R., de la Torre M.J.	
<b>P.169</b>	<b>Water prehydrolysis of pine wood in a consecutive recirculation/percolation mode followed by Kraft pulping for the production of an acetate-grade pulp</b>	831
	Toivari T., Testova L., Jafari V., Stepan A., Sixta H.	
<b>P.170</b>	<b>Ageing of cellulosic pulp under simulated marine atmosphere</b>	835
	Tribulová T., Evtuguin D.V., Kačík F., Fernandes A.J.S.	
<b>P.171</b>	<b>Removal of lignin and hexenuronic acids from sisal fibers with novel xylanases belonging to different GH families</b>	839
	Valenzuela S.V., Valls C., Roncero M.B., Vidal T., Diaz P., Pastor F.I.J.	
<b>P.172</b>	<b>Evaluating the impact of combining mediators in the LMS for biobleaching or functionalization</b>	843
	Valls C., Vidal T., Roncero M.B.	
<b>P.173</b>	<b>Shorten fungal treatment of lignocellulosic waste with additives to improve rumen degradability</b>	847
	van Kuijk S.J.A., Sonnenberg A.S.M., Baars J.J.P., Hendriks W.H., Cone J.W.	
<b>P.174</b>	<b>Cellulase-assisted refining of bleached chemical pulp and its effect on thermal durability of paper</b>	851
	Vänskä E., Vuorinen T.	
<b>P.175</b>	<b>Extractives in the wood tissue of wounded and red hearted beech</b>	855
	Vek V., Oven P., Poljanšek I., Humar M., Ters T.	
<b>P.176</b>	<b>Chimeric signal peptides for the functional expression of aryl alcohol oxidase in <i>Saccharomyces cerevisiae</i></b>	859
	Viña-González J., González-Pérez D., Martínez Á.T., Alcalde M.	
<b>P.177</b>	<b>Activated H<sub>2</sub>O<sub>2</sub> discoloration of a model azoic dye-colored pulp</b>	863
	Walger E., Rivollier C., Marlin N., Mortha G.	
<b>P.178</b>	<b>Covalent immobilization of (ZnS)<sub>x</sub>(CuInS<sub>2</sub>)<sub>1-x</sub>/ZnS (core/shell) quantum dots dispersed in (bacterial) cellulose aerogels</b>	867
	Wang H., Rosenau T., Liebner F.	
<b>P.179</b>	<b>Stabilisation of polysaccharides during alkaline pretreatment of wood followed by enzyme-supported extractions</b>	871
	Wang Y., Azhar S., Lindström M.E., Henriksson G.	
<b>P.180</b>	<b>Cellulose nanocrystals used for immobilization of polymer additives</b>	875
	Weigl S., Bretterbauer K., Paulik C.	

<b>P.181</b>	<b>Structural elucidation of lignin macromolecules from eucalyptus based on preswollen and enzymatic hydrolysis</b>	<b>879</b>
	Wen J.-L., Yuan T.-Q., Sun R.-C.	
<b>P.182</b>	<b>Oxalic acid formation and analysis in pulping and papermaking</b>	<b>883</b>
	Willför S., Häärä M., Sundberg A.	
<b>P.183</b>	<b>Nanofibrillated cellulose prepared from TEMPO oxidation acting as templates for synthesis of conducting polymers and in situ formation of biocomposites</b>	<b>887</b>
	Xu C., Leppänen A.-S., Liu J., Bober P., Wang X., Lindfors T., Latonen R.-M., Willför S.	
<b>P.184</b>	<b>AVAP® process: conversion of lignocellulosics into value-added chemicals</b>	<b>891</b>
	You X., van Heiningen A., Sixta H., Iakovlev M.	
<b>P.185</b>	<b>Conversion of lignin into high-valued lignin-phenol-formaldehyde (LPF) resin adhesive and improving the economics of the biorefinery</b>	<b>893</b>
	Yuan T.-Q., Yang S., Xu F., Sun R.-C.	
<b>P.186</b>	<b>Reactionability of acid and organosolv pretreated aspen wood in the process of enzymatic hydrolysis</b>	<b>897</b>
	Zorov I.N., Rozhkova A.M., Osipov D.O., Sinitsyn A.P.	
<b>AUTHOR INDEX</b>		<b>901</b>